



- 1 DH-HAC-HFW1500RP-Z-IRE6-A
- Max. 20fps@5MP(2592×1944). 1/2.7" Progressive CMOS
 - 20fps@5MP, 25/30fps@4MP, 25/30fps@1080P
 - HD and SD output switchable.- Built-in mic
 - 2.7-12mm motorized lens
 - Max. IR length 60m, Smart IR
 - IP67, DC12V



۲۳,۵۰۰,۰۰۰ ریال

- 2 DH-HAC-HFW1500DP
- 5MP (2592×1944) HDCVI IR Bullet Camera
 - 1/2.7" CMOS Scanning System Progressive
 - 20fps@5MP, 25/30fps@4MP, 25/30fps@1080P
 - Max Aperture: F1.85. Max. IR length 80m, Smart IR
 - Day/Nigh (ICR),BLC / HLC / DWDR / AGC
 - HD and SD output switchable
 - 3.6mm fixed lens (6mm, 8mm optional)- IP67, DC12V



۱۵,۱۰۰,۰۰۰ ریال

- 3 DH-HAC-HFW1500SLP
- Max. 20fps@5MP(2592×1944). 1/2.7" Progressive CMOS
 - HD and SD output switchable
 - Day/Nigh (ICR),BLC / HLC / DWDR / AGC
 - 3.6mm fixed lens (2.8mm, 6mm optional)
 - Max. IR length 30m, Smart IR
 - 20fps@5MP, 25/30fps@4MP, 25/30fps@1080P



۱۰,۵۰۰,۰۰۰ ریال

- 4 DH-HAC-HFW1500THP-I8
- 5MP HDCVI IR Bullet Camera
 - Max. 20fps@5MP
 - HD and SD output switchable
 - 3.6mm fixed lens (6mm, 8mm optional)
 - Max. IR length 80m, Smart IR
 - IP67, DC12V



۱۲,۸۰۰,۰۰۰ ریال

- 5 **DH-HAC-HFW1400RP-Z-IRE6**
 - Max 30fps@4MP(2560×1440)
 - HD and SD output switchable
 - 2.7-12mm Motorized lens
 - Max. IR length 60m, Smart IR
 - IP67, DC12V



۲۱,۵۰۰,۰۰۰ ریال

- 6 **DH-HAC-HFW1400DP**
 - Max 30fps@4MP(2560×1440)
 - HD and SD output switchable
 - 3.6mm fixed lens (6mm, 8mm optional)
 - Max. IR length 80m, Smart IR
 - IP67, DC12V



۱۲,۹۰۰,۰۰۰ ریال

- 7 **DH-HAC-HFW1400SP**
 - Max 30fps@4MP(2560×1440)
 - HD and SD output switchable
 - 3.6mm fixed lens (2.8mm, 6mm optional)
 - Max. IR length 30m, Smart IR
 - IP67, DC12V













۱۰,۰۰۰,۰۰۰ ریال

- 8 **DH-HAC-HFW1400TP-A**
 - 4MP HDCVI IR Bullet Camera
 - Max. 30pfs@4MP
 - Built-in mic
 - HD and SD output switchable
 - 3.6mm fixed lens (2.8mm, 6mm optional)
 - Max. IR length 30m, Smart IR
 - IP67, DC12V



۱۰,۲۰۰,۰۰۰ ریال

9	DH-HAC-HFW1400TP	<ul style="list-style-type: none"> • Max. 30fps@4MP(2560×1440) • Built-in mic • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • Max. IR length 30m, Smart IR • IP67, DC12V 	
			٩,٥٠٠,٠٠٠ ريال
10	DH-HAC-HFW1400THP-I8	<p>.4MP HDCVI IR Bullet Camera</p> <ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 3.6mm fixed lens (6mm, 8mm optional) • Max. IR length 80m, Smart IR • IP67, DC12V 	
			١٠,٩٠٠,٠٠٠ ريال
11	DH-HAC-HFW1400TLP	<ul style="list-style-type: none"> • Max. 30fps@4MP • HD and SD output switchable • 3.6mm fixed lens (2.8mm, 6mm optional) • Max. IR length 40m, Smart IR • IP67, DC12V 	
			٩,١٠٠,٠٠٠ ريال
12	DH-HAC-HFW1200RP-Z-IRE6	<ul style="list-style-type: none"> • Max 30fps@1080P(1920×1080) • HD and SD output switchable • 2.7-12mm Motorized lens • Max. IR length 60m, Smart IR • IP67, DC12V 	
			١٥,٥٠٠,٠٠٠ ريال
13	DH-HAC-HFW1230DP	<ul style="list-style-type: none"> • Starlight • Max. 30fps@1080P • HD and SD output switchable • 3.6mm fixed lens (6mm, 8mm optional) • Max. IR length 80m, Smart IR • IP67, DC12V 	
			١١,٤٠٠,٠٠٠ ريال

14 DH-HAC-HFW1200DP

- Max 30fps@1080P(1920×1080)
- HD and SD output switchable
- 3.6mm fixed lens (6mm, 8mm optional)
- Max. IR length 80m, Smart IR
- IP67, DC12V



٩,٢٠٠,٠٠٠ ريال

15 DH-HAC-HFW1200TP-A

- 1/2.7" 2Megapixel CMOS
- 25/30fps@1080P, 25/30/50/60fps@720P
- 3.6mm fixed lens. Built-in mic
- HD and SD output switchable
- DWDR, Day/Night(ICR), AWB, AGC, BLC, HLC, 2DNR, OSD
- Max. IR length 30m, Smart IR. IP67, DC12V



٧,٥٠٠,٠٠٠ ريال

16 DH-HAC-HFW1200TP

- 2MP HDCVI IR Bullet Camera
- Max 30fps@1080P
- HD and SD output switchable
- 3.6mm fixed lens (2.8mm, 6mm optional)
- Max. IR length 30m, Smart IR
- IP67, DC12V



٦,٦٠٠,٠٠٠ ريال

17 DH-HAC-HFW1200THP-I8

- 2MP HDCVI IR Bullet Camera
- Max 30fps@1080P
- HD and SD output switchable
- 3.6mm fixed lens (2.8mm, 6mm optional)
- Max. IR length 40m, Smart IR
- IP67, DC12V



٨,٤٠٠,٠٠٠ ريال

- 18 DH-HAC-HFW1230TP
- . 2MP Starlight HDCVI IR Bullet Camera
 - . Max. 30fps@1080P. **Starlight**
 - . HD and SD output switchable
 - . 3.6mm fixed lens (2.8mm, 6mm optional)
 - . Max. IR length 30m, Smart IR
 - . IP67, DC12V
- 















٩,٢٠٠,٠٠٠ ريال

- 19 DH-HAC-HFW1200SP
- . Max 30fps@1080P(1920x1080)
 - . 2MP HDCVI IR Bullet Camera
 - . HD and SD output switchable
 - . 3.6mm fixed lens (2.8mm, 6mm optional)
 - . Max. IR length 30m, Smart IR
 - . IP67, DC12V
- 








٧,٣٠٠,٠٠٠ ريال








- 20 DH-HAC-HFW1200TLP
- . Max 30fps@1080P
 - . HD and SD output switchable
 - . 3.6mm fixed lens (2.8mm, 6mm optional)
 - . Max. IR length 40m, Smart IR
 - . IP67, DC12V
- 








٦,٧٠٠,٠٠٠ ريال


- 21 DH-HAC-HFW1230TLP
- . 2MP **Starlight** HDCVI IR Bullet Camera
 - . Max. 30fps@1080P
 - . HD and SD output switchable
 - . 3.6mm fixed lens (2.8mm, 6mm optional)
 - . Max. IR length 40m, Smart IR
 - . IP67, DC12V
- 















٨,٩٠٠,٠٠٠ ريال

22 DH-HAC-HFW1200RP


- 2MP HDCVI IR Bullet Camera
- Max 30fps@1080P(1920×1080)
- 2MP HDCVI IR Bullet Camera
- HD and SD output switchable
- 3.6mm fixed lens (2.8mm, 6mm optional)
- Max. IR length 20m, Smart IR
- IP67, DC12V


















٥,٨٠٠,٠٠٠ ريال

23 DH-HAC-HDW1500TP-Z-A




- Max. 20fps@5MP(2592×1944). 1/2.7" Progressive CMOS
- 20fps@5MP, 25/30fps@4MP, 25/30fps@1080P
- HD and SD output switchable· Built-in mic
- 2.7-12mm motorized lens
- Max. IR length 60m, Smart IR
- IP67, DC12V



















٢٠,٥٠٠,٠٠٠ ريال

24 DH-HAC-HDW1500EMP-A




- Max. 20fps@5MP(2592×1944)
- Built-in mic
- HD and SD output switchable
- 3.6mm fixed lens (2.8mm, 6mm optional)
- Max. IR length 50m, Smart IR
- IP67, DC12V


















١١,٩٠٠,٠٠٠ ريال

25 DH-HAC-HDW1400TP-Z-A



- Max 30fps@4MP(2560×1440)
- HD and SD output switchable
- Built-in mic
- 2.7-12mm motorized lens
- Max. IR length 60m, Smart IR
- IP67, DC12V



١٨,٥٠٠,٠٠٠ ريال

26 DH-HAC-HDW1400EMP-A



- Max. 30fps@4MP(2560×1440)
- Built-in mic
- HD and SD output switchable
- 3.6mm fixed lens (2.8mm, 6mm optional)
- Max. IR length 50m, Smart IR
- IP67, DC12V



٨,٨٠٠,٠٠٠ ريال

27 DH-HAC-HDW1400MP

- 4MP HDCVI IR Eyeball Camera
- Max 30fps@4MP
- HD and SD output switchable
- 3.6mm fixed lens (2.8mm, 6mm optional)
- Max. IR length 30m, Smart IR
- IP67, DC12V



٨,٩٠٠,٠٠٠ ريال

28 DH-HAC-HDW1200EMP-A



- 2MP HDCVI IR Eyeball Camera
- Max 30fps@1080P(1920×1080)
- HD and SD output switchable
- 3.6mm fixed lens (2.8mm, 6mm optional)
- Max. IR length 50m, Smart IR
- IP67, DC12V, built in mic



٨,٠٠٠,٠٠٠ ريال

29 DH-HAC-HDBW1200EP

- 2MP HDCVI IR Dome Camera
- Max 30fps@1080P
- HD and SD output switchable
- 3.6mm fixed lens (2.8mm optional)
- Max. IR length 30m, Smart IR
- IP67, IK10, DC12V



٨,٥٠٠,٠٠٠ ريال

- 30 **DH-HAC-HDW1200MP**
- . 2MP HDCVI IR Eyeball Camera
 - . Max 30fps@1080P(1920×1080)
 - . HD and SD output switchable
 - . 3.6mm fixed lens (2.8mm, 6mm optional)
 - . Max. IR length 30m, Smart IR
 - . IP67, DC12V



٢٠٠,٠٠٠ ريال

- 31 **DH-HAC-HDW1200RP**
- . 2MP HDCVI IR Eyeball Camera
 - . Max 30fps@1080p(1920×1080)
 - . HD and SD output switchable
 - . 3.6mm fixed lens (2.8mm optional)
 - . Max. IR length 20m, Smart IR
 - . DC12V



٤٠٠,٠٠٠ ريال

- 32 **DH-HAC-B2A51P**
COOPER SERIES
- . 5MP HDCVI IR Bullet Camera
 - . Max. 20fps@5MP(2592×1944)
 - . HD and SD output switchable
 - . 3.6mm fixed lens (2.8mm,6mm optional)
 - . Max. IR length 20m, Smart IR · IP67, DC12V



٩٠٠,٠٠٠ ريال

- 33 **DH-HAC-B2A41P**
COOPER SEIES
- . Max. 30fps@4MP(2560×1440)
 - . HD and SD output switchable
 - . 3.6mm fixed lens (2.8mm,6mm optional)
 - . Max. IR length 20m, Smart IR
 - . IP67, DC12V



٨٠٠,٠٠٠ ريال

- 34 **DH-HAC-B2A21P**
COOPER SERIES
- . 2MP HDCVI IR Bullet Camera
 - . Max. 30fps@1080P (1920×1080)
 - . HD and SD output switchable
 - . 3.6mm fixed lens (6mm optional)
 - . Max. IR length 20m, Smart IR · IP67, DC12V



٥٠٠,٠٠٠ ريال

- 35 **DH-HAC-B1A41P**
COOPER SERIES
- 4MP HDCVI IR Bullet Camera
 - Max. 30fps@4MP (2560×1440)
 - HD and SD output switchable
 - 3.6mm fixed lens (6mm optional)
 - Max. IR length 20m, Smart IR · IP67, DC12V



٩٠٠,٠٠٠ ريبال

- 36 **DH-HAC-B1A21P**
COOPER SERIES
- 2MP HDCVI IR Bullet Camera
 - Max. 30fps@1080P (1920×1080)
 - HD and SD output switchable
 - 3.6mm fixed lens (6mm optional)
 - Max. IR length 20m, Smart IR · IP67, DC12V



٤٠٠,٠٠٠ ريبال

- 37 **DH-HAC-T2A51P**
COOPER SERIES
- 5MP HDCVI IR Eyeball Camera
 - Max. 20fps@5MP (2592×1944)
 - HD and SD output switchable
 - 3.6mm fixed lens (2.8mm,6mm optional)
 - Max. IR length 20m, Smart IR · IP67, DC12V



٩٠٠,٠٠٠ ريبال

- 38 **DH-HAC-T2A41P**
COOPER SERIES
- Max. 30fps@4MP(2560×1440)
 - HD and SD output switchable
 - 3.6mm fixed lens (2.8mm,6mm optional)
 - Max. IR length 20m, Smart IR
 - IP67, DC12V



٨٠٠,٠٠٠ ريبال

- 39 **DH-HAC-T2A21P**
COOPER SERIES
- 2MP HDCVI IR Eyeball Camera
 - Max. 30fps@1080P (1920×1080)
 - HD and SD output switchable
 - 3.6mm fixed lens (2.8mm,6mm optional)
 - Max. IR length 20m, Smart IR · IP67, DC12V



٥٠٠,٠٠٠ ريبال

40

DH-HAC-T1A41P
COOPER SERIES

- 4MP HDCVI IR Eyeball Camera
- Max. 30fps@4MP (2560×1440)
- HD and SD output switchable
- 3.6mm fixed lens (2.8mm, 6mm optional)
- Max. IR length 20m, Smart IR · DC12V



٤,٩٠٠,٠٠٠ ريال

41

DH-HAC-T1A21P
COOPER SERIES

- 2MP HDCVI IR Eyeball Camera
- Max. 30fps@1080P (1920×1080)
- HD and SD output switchable
- 3.6mm fixed lens (2.8mm, 6mm optional)
- Max. IR length 20m, Smart IR · DC12V



٤,٦٠٠,٠٠٠ ريال

42

DH-SD6CE430I-HC

- 1/3" 4Megapixel CMOS
- Powerful 30x optical zoom
- 120dB true WDR, 3D DNR
- Max. 25/30fps@4M/1080P, 25/30/50/60fps@720P
- IR distance up to 200m
- IP67, IK10



C ALL

43

DH-SD59430I-HC

- 1/3" 4Megapixel CMOS
- Powerful 30x optical zoom
- 120dB true WDR, 3D DNR
- Max. 25/30fps@4M/1080P, 25/30/50/60fps@720P
- IR distance up to 100m
- IP66



١٥٩,٩٠٠,٠٠٠ ريال

44 DH-SD6CE230I-HC

- 1/2.8" 2Megapixel STARVIS™ CMOS
- Powerful 30x optical zoom
- Starlight technology
- 120dB true WDR, 3D DNR
- Max. 25/30fps@1080P
- IR distance up to 200m
- IP67, IK10



CALL

45 DH-SD59230I-HC

- 1/2.8" 2Megapixel STARVIS™ CMOS
- Powerful 30x optical zoom
- Starlight technology
- 120dB true WDR, 3D DNR
- Max. 25/30fps@1080P, 25/30/50/60fps@720P
- IR distance up to 150m
- IP66



١٤٨,٥٠٠,٠٠٠ ريال

46 DH-SD49225I-HC

- 1/2.8" 2Megapixel STARVIS™ CMOS
- Powerful 25x optical zoom
- Starlight technology
- 120dB true WDR, 3D DNR
- Max. 25/30fps@1080P, 25/30/50/60fps@720P
- IR distance up to 100m
- IP66



٨٢,٠٠٠,٠٠٠ ريال

47 DH-XVR7216A-4KL-X

- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Supports 16 channels of IPC access, each channel up to 8MP input; Max 64Mbps Incoming Bandwidth
- IoT & POS functionalities
- 2 SATA Ports, up to 10TB capacity for each
- Smart Search and Intelligent Video System



٩٦,٠٠٠,٠٠٠ ريال

- 48 DH-XVR5832S-X
- . 32 Channel Penta-brid 1080P
 - . H.265+/H.265 dual-stream video compression
 - . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
 - . Max 32 channels IP camera inputs, each channel up to 8MP; Max 128Mbps incoming bandwidth
 - . First 16 channels support Tripwire & Intrusion; First 2 channels support Object Abandoned & Missing
 - . Supports HDMI2 for spot output
 - . 8 SATA Ports, up to 10TB capacity



۱۵۸,۰۰۰,۰۰۰ ریال

- 49 DH-XVR5432L-X
- . 32 Channel Penta-brid 1080P 1.5U
 - . H.265+/H.265 dual-stream video compression
 - . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
 - . Max 32 channels IP camera inputs, each channel up to 8MP; Max 128Mbps incoming bandwidth
 - . First 16 channels support Tripwire & Intrusion; First 2 channels support Object Abandoned & Missing
 - . Supports HDMI2 for spot output
 - . 4 SATA Ports, up to 10TB capacity



۴۱,۰۰۰,۰۰۰ ریال


- 50 DH-XVR5232AN-X
- . 32 Channel Penta-brid 1080P
 - . H.265+/H.265 dual-stream video compression
 - . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
 - . Max 32 channels IP camera inputs, each channel up to 6MP; Max 128Mbps incoming bandwidth
 - . Smart Search and Intelligent Video System
 - . Interface ; 1 HDMI ,1 VGA, 1 TV
 - . 2 SATA Ports, up to 10TB capacity



۹۴,۲۰۰,۰۰۰ ریال

51 DH-XVR5216AN-4KL-X


- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max24 channels IP camera inputs, each channel up to 8MP; Max 96 Mbps Incoming Bandwidth
- Smart Search and Intelligent Video System
- 2 SATA Ports, up to 10TB capacity for each disk



۸۷,۰۰۰,۰۰۰ ریال

52 DH-XVR5216AN-X

- 16 Channel Penta-brid 1080P
- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 24 channels IP camera inputs, each channel up to 6MP; Max 96Mbps Incoming Bandwidth
- Smart Search and Intelligent Video System
- 2 SATA Ports, up to 10TB capacity



۵۵,۰۰۰,۰۰۰ ریال

53 DH-XVR5216A-S2


- 16 Channel Penta-brid 1080P
- Embedded processor
- H.264+/H.264 dual-stream video compression
- Support HDCVI/AHD/TVI/CVBS/IP video inputs
- Max24 channels IP camera inputs, each channel up 5MP
- Smart Search and Intelligent Video System
- 2 SATA Port, up to 8TB capacity



۵۰,۵۰۰,۰۰۰ ریال

54 DH-XVR5116H-X

- . 16 Channel Penta-brid 1080P
- . H.265+/H.265 dual-stream video compression
- . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- . Max 24 channels IP camera inputs, each channel up to 6MP; Max 96Mbps Incoming Bandwidth
- . Smart Search and Intelligent Video System
- . 1 SATA Port, up to 10TB capacity



ريال ٤٦,٠٠٠,٠٠٠

55 DH-XVR5108HS-4KL-X


- . H.265+/H.265 dual-stream video compression
- . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- . Max 12 channels IP camera inputs, each channel up to 8MP; Max 48Mbps Incoming Bandwidth
- . Smart Search and Intelligent Video System
- . 1 SATA Port, up to 10TB capacity



ريال ٤٠,٢٠٠,٠٠٠

56 DH-XVR5108HS-X

- . 8 Channel Penta-brid 1080P
- . H.265+/H.265 dual-stream video compression
- . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- . Max12 channels IP camera inputs, each channel up to 6MP; Max 48Mbps Incoming Bandwidth
- . Smart Search and Intelligent Video System
- . 1 SATA Port, up to 10TB capacity



ريال ٢٧,٣٠٠,٠٠٠

57 DH-XVR5104HS-4KL-X


- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 6 channels IP camera inputs, each channel up to 8MP; Max 24Mbps Incoming Bandwidth
- Smart Search and Intelligent Video System
- 1 SATA Port, up to 10TB capacity



۲۵,۶۰۰,۰۰۰ ریال

58 DH-XVR5104HS-X1


- H.265+/H.265 dual-stream video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 6 channels IP camera inputs, each channel up to 6MP; Max 24Mbps incoming bandwidth
- Smart Search and Intelligent Video System
- 1 SATA Port, up to 6TB capacity



۱۷,۵۰۰,۰۰۰ ریال

59 DH-XVR4232AN-X


- 32 Channel Penta-brid 1080P
- H.265 video compression
- Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- Max 18/16 channels IP camera inputs, each channel up to 6MP; Max 64Mbps Incoming Bandwidth
- Long transmission distance over coax cable
- Supports 2 SATA HDD, up to 10TB



۵۹,۸۰۰,۰۰۰ ریال

60 DH-XVR4216AN-X

- . 16 Channel Penta-brid 1080P
- . H.265 video compression
- . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- . Max 18 channels IP camera inputs, each channel up to 6MP; Max 72Mbps Incoming Bandwidth
- . Long transmission distance over coax cable
- . Supports 2 SATA HDD, up to 10TB



۴۰,۵۰۰,۰۰۰ ریال

61 DH-XVR4116HS-X


- . 16 Channel Penta-brid 1080P
- . H.265 video compression
- . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- . Max 18 channels IP camera inputs, each channel up to 6MP; Max 72Mbps Incoming Bandwidth
- . Long transmission distance over coax cable
- . Supports 1 SATA HDD, up to 10TB



۳۲,۲۰۰,۰۰۰ ریال

62 DH-XVR4108HS-X1

- . 8 Channel Penta-brid 1080P
- . H.265+/H.265 dual-stream video compression
- . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- . Max 10 channels IP camera inputs, each channel up to 6MP; Max 40Mbps incoming bandwidth
- . Long transmission distance over coax cable
- . Supports 1 SATA HDD, up to 6TB



۱۸,۹۰۰,۰۰۰ ریال

63

DH-XVR4104HS-X1

- . 4 Channel Penta-brid 1080P
- . H.265+/H.265 dual-stream video compression
- . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- . Max 5 channels IP camera inputs, each channel up to 2MP; Max 20Mbps incoming bandwidth
- . Long transmission distance over coax cable
- . Supports 1 SATA HDD, up to 6TB



۱۴,۵۰۰,۰۰۰ ریال

64

DH-XVR1A08
COOPER SERIES

- . 8 Channel Penta-brid 1080N/720P Cooper
- . H.264 video compression
- . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- . Max 10 channels IP camera inputs, each channel up to 5MP; Max 40Mbps Incoming Bandwidth
- . Long transmission distance over coax cable
- . Supports 1 SATA HDD, up to 6TB




۱۴,۸۰۰,۰۰۰ ریال

65

DH-XVR1A04
COOPER SERIES

- . 4Channel Penta-brid 1080N/720P Cooper
- . H.264 video compression
- . Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- . Max 5channels IP camera inputs, each channel up to 2MP; Max 20Mbps Incoming Bandwidth
- . Long transmission distance over coax cable
- . Supports 1 SATA HDD, up to 6TB



۱۱,۸۰۰,۰۰۰ ریال

66

DH-PFM320S-150

- . DC12V 150W Switching Power Supply
- . Rated Output Current 12.5A
- . Output Power 150W
- . Output Voltage 12Vdc (terminal output)
- . Input Voltage Range 88~132Vac/176~264Vac



CALL

دفتر مرکزی: 44184852 - 44186518 - 44185078

<http://naikel.ir><http://telegram.me/naikelcctv>