

لیست قیمت محصولات تحت شبکه برای تون (خرداد ۹۹)

1. NVR6B32EP-W27-4H

32CH H.265+ 4K NVR I/O Bandwidth:256M/256M
Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
32ch 8MP Record/4ch 8MP Playback
32ch 1080P Record/16ch 1080P Playback
Audio I/O:1/ 2; Alarm I/O:16 /4;1*RS485
1*HDMI, VGA, SATA*4(10T HDD), 3G/4G,WIFI
Remote Control,USB Mouse,AC100~240V
Dimension:440(W)*452(D)*90(H)mm


85,000,000 IR



2. NVR6B32P-W26-8H

32CH H.265+ 4K NVR I/O Bandwidth:256M/256M
Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
32ch 8MP Recording/16ch 1080P Playback
Audio I/O:1 /2;Alarm I/O:16 /4;2*RS485
2*HDMI,VGA,SATA*8(12T HDD),eSATA*1,3G/4G,WIFI
Remote Control,USB Mouse,AC100~240V
Dimension:440(W)*452(D)*90(H)mm

98,000,000 IR



3. NVR6B16P-N53

16CH H.265+ 4K NVR I/O Bandwidth:160M/256M
Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras
16ch 8MP Recording/16ch 1080P Playback
Audio I/O:1/ 1; Alarm I/O:8 /1
HDMI, VGA, SATA*2(12T HDD), 3G/4G, WIFI
Remote Control,USB Mouse, DC12V/5A Adapter
Dimension:380(W)x298(D)x45(H)mm

38,000,000 IR



4. NVR7E16P-G1L

16CH H.265+ 4K NVR I/O Bandwidth:160M/80M
16CH 8MP 30fps Recording / 4CH 1080P 30fps Playback
Audio I/O:1/ 1; Alarm I/O:8/ 1
HDMI, VGA, SATA*2(12T HDD), 3G/4G, WIFI
USB Mouse, DC12V/4A Adapter
Dimension: 326x243x52mm mm

24,000,000 IR



☑ به همراه نرم افزارهای انتقال و مدیریت تصاویر

☑ کلیه دستگاه ها دارای قابلیت به روز رسانی از طریق فضای ابری (Cloud) می باشند.

5. IPC70520C29-AI

H.265+ 2MP Network Camera 1/ 2.9" Progressive scan CMOS Sensor
Smart IR,DWDR, 2D/3D DNR; Audio I/O: 1 / 1 , Mobile Surveillance
5 Smart Functions
Triple Stream: 25/ 30fps@1080P 25/ 30fps@D1,30fps@CIF
Onvif 2.6, Profile S, CGI, 14µX24pcs SMD LED/ IR range 50m
Varifocal 2.8 -12mm Manual Lens
IP66 Metal Housing, DC12V, Built-in **POE**
Size: 235(W)x73(H)x83(D)mm Gross Weight: 700g

17,100,000 IR



6. IPC70520E91-AI

H.265+ 2MP Network Camera 1/ 2.9" Progressive scan CMOS Sensor
Smart IR,DWDR,2D/3D DNR;Audio I/O: 1 / 1 , Mobile Surveillance
5 Smart Functions
Triple Stream:25 /30fps@1080P,25/ 30fps@D1,30fps@CIF
Onvif 2.6, Profile S, CGI, 14µX24pcs SMD LED/ IR range 40m
Varifocal 2.8 -12mm Manual Lens
IP66 Metal Housing, DC12V, Built-in **POE**
Size: ∅ 140x105(H)mm Gross Weight:780g

17,850,000 IR



7. IPC70520D89-AI

H.265+ 2MP Network Camera 1/ 2.9" Progressive scan CMOS Sensor
Smart IR,DWDR,2D/3D DNR;Audio I/O: 1 / 1 , Mobile Surveillance
5 Smart Functions
Triple Stream: 25 /30fps@1080P, 25/ 30fps@D1,30fps@CIF
Onvif 2.6, Profile S, CGI, 14µX18pcs SMD LED/ IR range 30m
Fixed 3.6mm Manual Lens
IP67 Metal Housing, DC12V, Built-in **POE**
Size: ∅ 122X90(H) mm Gross Weight:460g

12,120,000 IR



8. IPC70650C29WD-AIZ

H.265+ 5MP Network Camera 1/ 2.7" Progressive scan CMOS Sensor
Smart IR,**120dB WDR**,2D/3D DNR;Audio I/O: 1 / 1 , Mobile Surveillance
13 Smart Functions + **Face Detection**
Triple Stream: 15fps@5MP, 25fps@720P,30fps@CIF
Onvif 2.6, Profile S, CGI, 14µX24pcs SMD LED/ IR range 50m
Varifocal 2.812-mm **Motorized** Lens
IP66 Metal Housing, DC12V, Built-in **POE**
Size: 235(W)x73(H)x83(D)mm Gross Weight: 700g

Call



9. IPC70650E91WD-AIZ

H.265+ 5MP Network Camera 1/ 2.7" Progressive scan CMOS Sensor
Smart IR,**120dB WDR**,2D/3D DNR;Audio I/O: 1 / 1 , Mobile Surveillance
13 Smart Functions + **Face Detection**
Triple Stream: 15fps@5MP, 25fps@720P,30fps@CIF
Onvif 2.6, Profile S, CGI, 14µX24pcs SMD LED/ IR range 40m
Varifocal 2.812-mm **Motorized** Lens
IP66 Metal Housing, DC12V, Built-in **POE**
Size: ∅ 140x105(H)mm Gross Weight:780g

Call



10. IPC70650D89WD-AFI

H.265+ 5MP Network Camera 1/ 2.7" Progressive scan CMOS Sensor
Smart IR,**120dB WDR**,2D/3D DNR;Audio I/O: 1 / 1 , Mobile Surveillance
13 Smart Functions + **Face Detection**
Triple Stream: 15fps@5MP, 25fps@720P,30fps@CIF
Onvif 2.6, Profile S, CGI, 14µX18pcs SMD LED/ IR range 30m
Fixed 3.6mm Manual Lens
IP67 Metal Housing, DC12V, Built-in **POE**, **SD card up to 128GB**
Size: ∅ 122X90(H) mm Gross Weight:460g

24,000,000 IR



11. IPC74650E89WD-AI

H.265+ 5MP Network Camera 1/ 2.7" Progressive scan CMOS Sensor **Starlight**
Smart IR, **DWDR**,2D/3D DNR;Audio I/O: 1 / 1 , Mobile Surveillance
5 Smart Functions + **Face Detection**
Triple Stream: 15fps@5MP, 2530/fps@D1 Onvif2.6, Profile S, CGI
24pcs SMD LED/ IR range 35m
Varifocal 2.8 -12mm Manual Lens
IP67 Metal Housing DC12V,Built-in **POE**
Size: ∅ 142x113.4(H)mm Gross Weight: 940g

27,300,000 IR



☑ به همراه نرم افزارهای انتقال و مدیریت تصاویر

12. IPC74650C29WD-AI



H.265+ 5MP Network Camera 1/ 2.8" Progressive scan CMOS Sensor Starlight
 Smart IR, 120dB WDR, 2D/3D DNR; Audio I/O: 1/ 1 , Mobile Surveillance
 5 Smart Functions + **Face Detection**
Triple Stream: 15fps@5MP, 25/ 30fps@D1 Onvif2.6, Profile S, CGI
 30pcs SMD LED/ IR range 50m
 Varifocal 2.8- 12mm Manual Lens
 IP66 Metal Housing DC12V, Built-in **POE**
 Size: 235(W)x73(H)x83(D)mm Gross Weight: 700g

28,800,000 IR



13. IPC74650E89WD-AI



H.265+ 5MP Network Camera 1/ 2.8" Progressive scan CMOS Sensor Starlight
 Smart IR, 120dB WDR, 2D/3D DNR; Audio I/O: 1/ 1 , Mobile Surveillance
 5 Smart Functions + **Face Detection**
Triple Stream: 15fps@5MP, 2530/fps@D1 Onvif2.6, Profile S, CGI
 24pcs SMD LED/ IR range 35m
 Varifocal 2.8 -12mm Manual Lens
IP67 Metal Housing DC12V, Built-in **POE**
 Size: ∅ 142x113.4(H)mm Gross Weight: 940g

30,000,000 IR



14. IPC70520B17-AI



H.265+ 2MP Network Camera 1/ 2.9" Progressive scan CMOS Sensor
 Smart IR, DWDR, 2D/3D DNR; Audio I/O: 1/ 1 , Mobile Surveillance
 5 Smart Functions
Triple Stream: 2530/fps@1080P, 2530/fps@D1, 30fps@CIF Onvif2.6,
 Profile S, CGI, 14μX18pcs SMD LED/ IR range 25m
 Fixed 3.6mm Manual Lens
 IP66 Metal Housing DC12V, Built-in **POE**
 Size: ∅ 62X163mm Gross Weight: 410g

12,100,000 IR



15. IPC74520B17-AI



H.265+ 2MP Network Camera 1/ 2.9" Progressive scan CMOS Sensor Starlight
 Smart IR, DWDR, 2D/3D DNR; Audio I/O: 1/ 1 , Mobile Surveillance
 5 Smart Functions + **Face Detection**
 Dual Stream: 25/ 30fps@1080P, 25/ 30fps@D1 Onvif2.6, Profile S, CGI
 14μX18pcs SMD LED/ IR range 25m
 Fixed 3.6mm Manual Lens
 IP66 Metal Housing DC12V, Built-in **POE**
 Size: ∅ 62X163mm Gross Weight: 410g

11,000,000 IR



16. IPC74520D89-FMI



H.265+ 2MP Network Camera 1/ 2.9" Progressive scan CMOS Sensor Starlight
 Smart IR, DWDR, 2D/3D DNR; Audio I/O: 1/ 1 , Mobile Surveillance
 5 Smart Functions + **Face Detection**
 Dual Stream: 25/ 30fps@1080P, 25/ 30fps@D1 Onvif2.6, Profile S, CGI
 14μX18pcs SMD LED/ IR range 30m
 fixed 3.6mm Manual Lens
IP67 Metal Housing DC12V, Built-in **POE, SD card support 128G, Built-in Mic**
 Size: ∅ 122X90(H) mm Gross Weight: 460g

13,300,000 IR



17. IPC74650D89WD-AI



H.265+ 5MP Network Camera 1/ 2.8" Progressive scan CMOS Sensor Starlight
 Smart IR, 120 dB WDR, 2D/3D DNR; Audio I/O: 1/ 1 , Mobile Surveillance
 5 Smart Functions + **Face Detection**
 Stream: 15fps@5MP, 25/ 30fps@D1 Onvif2.6, Profile S, CGI
 14μX18pcs SMD LED/ IR range 30m
 Fixed 3.6mm Lens
 IP66 Metal Housing DC12V, Built-in **POE**
 Size: ∅ 92X87.5mm Gross Weight: 380g

22,600,000 IR

18. IPC74650B17WD-AI



H.265+ 5MP Network Camera 1/ 2.8" Progressive scan CMOS Sensor Starlight
 Smart IR, 120dB DWDR, 2D/3D DNR; Audio I/O: 1/ 1 , Mobile Surveillance
 5 Smart Functions + **Face Detection**
 Stream: 15fps@5MP, 25/ 30fps@D1 Onvif2.6, Profile S, CGI
 18pcs SMD LED, IR range up to 30M
 fixed 3.6mm Lens
 IP66 Metal Housing DC12V, Built-in **POE**
 Size: 62X163mm Gross Weight: 410g

22,600,000 IR

☑ به همراه نرم افزارهای انتقال و مدیریت تصاویر

19. IPC74520C29-AI



H.265+ 2MP Network Camera 1/ 2.9" Progressive scan CMOS Sensor **Starlight**
Smart IR,DWDR,2D/3D DNR;Audio I/O: 1/ 1 , Mobile Surveillance
5 Smart Functions + **Face Detection**
Dual Stream: 25/ 30fps@1080P, 25/ 30fps@D1 Onvif 2.6, Profile S, CGI
14μX30pcs SMD LED/ IR range 50m
Varifocal 2.8 -12mm Manual Lens
IP66 Metal Housing DC12V,Built-in **POE**
Size: 235(W)x73(H)x83(D)mm Gross Weight: 700g

16,000,000 IR



20. IPC74520E91-I



H.265+ 2MP Network Camera 1/ 2.9" Progressive scan CMOS Sensor **Starlight**
Smart IR,DWDR,2D/3D DNR; Mobile Surveillance
5 Smart Functions + **Face Detection**
Dual Stream: 25/ 30fps@1080P, 25/ 30fps@D1 Onvif 2.6, Profile S, CGI
14μX24pcs SMD LED/ IR range 40m
Varifocal 2.8- 12mm Manual Lens
IP66 Metal Housing DC12V,Built-in **POE**
Size: 140x105(H)mm Gross Weight:780g

16,000,000 IR



21. IPC74520E89-FMI



H.265+ 2MP Network Camera 1/ 2.9" Progressive scan CMOS Sensor **Starlight**
Smart IR,DWDR,2D/3D DNR;Audio I/O: 1/ 1, Mobile Surveillance
5 Smart Functions + **Face Detection**
Dual Stream: 25/ 30fps@1080P, 25/ 30fps@D1 Onvif 2.6, Profile S, CGI
14μX24pcs SMD LED/ IR range 40m
Varifocal 2.8- 12mm Manual Lens
IP67 Metal Housing DC12V,Built-in **POE, SD card support 128G, Built-in Mic**
Size: 141*110mm Gross Weight:750g

18,500,000 IR



22. IPC73521B15-I

H.265+ 2MP Network Camera 1/ 2.9" Progressive scan CMOS Sensor
Smart IR,DWDR,2D/3D DNR; Mobile Surveillance, Area Intrusion,
5 Smart Functions + **Face Detection**
Dual Stream: 25FPS@2MP, 25 /30FPS@D1 Onvif 2.6, Profile S, CGI
14μX18pcs SMD LED/ IR range 30m
Fixed 3.6mm Manual Lens
IP66 Metal Housing cover DC12V,Built-in **POE**
Size:65(D)x171(H)mm Gross Weight: 450g

8,100,000 IR



23. IPC73521D87-I

H.265+ 2MP Network Camera 1/ 2.9" Progressive scan CMOS Sensor
Smart IR,DWDR,2D/3D DNR; Mobile Surveillance, Area Intrusion
5 Smart Functions + **Face Detection**
Dual Stream: 25FPS@2MP, 25 /30FPS@D1 Onvif 2.6, Profile S, CGI
14μX18pcs SMD LED/ IR range 30m
Fixed 3.6mm Manual Lens
IP65 Metal ball+plastic cover DC12V,Built-in **POE**
Size: 92 x 87.5(H) mm Gross Weight: 380g

8,100,000 IR



24. IPC70651C29WD-AI

H.265+ 5MP Network Camera 1/ 2.7" Progressive scan CMOS Sensor
Smart IR,WDR,2D/3D DNR;Audio I/O: 1/ 1 , Mobile Surveillance
13 Smart Functions
Triple Stream: 25/ 30fps@5MP, 25/ 30fps@D1 Onvif 2.6, Profile S, CGI
14μX30pcs SMD LED/ IR range 50m
Varifocal 2.8- 12mm Manual Lens
IP66 Metal Housing DC12V,Built-in **POE**
Size: 235(W)x73(H)x83(D)mm Gross Weight: 700g

Call

25. IPC70651E89WD-AI

H.265+ 5MP Network Camera 1/ 2.7" Progressive scan CMOS Sensor
Smart IR,WDR,2D/3D DNR;Audio I/O: 1/ 1 , Mobile Surveillance
13 Smart Functions
Triple Stream: 25/ 30fps@5MP, 25/ 30fps@D1 Onvif 2.6, Profile S, CGI
14μX24pcs SMD LED/ IR range 40m
Varifocal 2.8- 12mm Manual Lens
IP67 Metal Housing DC12V,Built-in **POE**
Size: 141*110mm Gross Weight:750g

Call



☑ به همراه نرم افزارهای انتقال و مدیریت تصاویر


26. IPD61133Q03HE-FPI

H.265+ 3MP Network High Speed Dome Camera 1/ 2.8" Progressive scan CMOS Sensor
4.7- 141mm 30X Optical Zoom Lens
Starlight, 120dB WDR, Smart IR, 2D/3D DNR, IR-CUT
ROI/Defog/NAS/UPNP-TM
8pcs Array LED, 4pcs Laser LED/ **IR Range up to 150M**
Audio 1/ 1, Alarm 1/ 1, **TF(Max 128G)**, BNC output
Area Intrusion, Line crossing, Region Entrance, Region Exiting, Fast Moving, Object Missing, Unattended Object
Triple Stream: 45fps@3MP, 25/ 30fps@D1, 30fps@CIF
Onvif2.6, Profile S, CGI, Mobile Surveillance
Level: 0°~360°, vertical : 0°~90°
Automatically turn 180°
Pan Speed: 0.1°~240°/S, Tilt Speed: 0.1°~240°/S
Preset point: 255
Support 4 automatic Patrols, 1 automatic line scan
AC24V, Built in POE Size : $\Phi 237 \times 335$ mm Gross Weight: 5.2KG
IP66 Metal Housing



27. IPD6A22Q02HE-FPI

H.265+ 2MP Network High Speed Dome Camera 1/ 2.8" Progressive scan CMOS Sensor
5- 100mm 20X Optical Zoom Lens
Starlight, 120dB WDR, Smart IR, 2D/3D DNR, IR-CUT
ROI/Defog/NAS/UPNP-TM
7pcs Array Led, 3pcs Laser Light/ **IR Range up to 100M**
Audio 1/ 1, Alarm 1 /1, **TF(Max 128G)**, BNC output
Area Intrusion, Line crossing, Region Entrance, Region Exiting, Fast Moving, Object Missing, Unattended Object
Triple Stream: 25/ 30fps@2MP, 25 /30fps@D1, 3fps@CIF
Onvif2.6, Profile S, CGI, Mobile Surveillance
Level: 0°~360°, vertical : 0°~90°
Automatically turn 180°
Pan Speed: 0.1°~240°/S, Tilt Speed: 0.1°~240°/S
Preset point: 255
Support 4 automatic Patrols, 1 automatic line scan IP66
AC24V, Built in POE Size : $\Phi 185.0 \times 375.0$ mm Gross Weight: 4.5KG
IP66 Metal Housing



به همراه نرم افزارهای انتقال و مدیریت تصاویر