



















ردیف	پارت نامبر	قیمت	شرح ویژگی	تصویر محصول
1	TD-C12	ریال 16,100,000	<p>2MP (1920 × 1080) H.265 full real time coding Max. resolution: 1920 × 1080 ICR auto switch, true day / night, BLC, HLC, Defog 10m IR night view distance 3D DNR, digital WDR, ROI coding Support Wi-Fi,Built-in micro SD card slot 1CH built-in MIC and 1CH built-in speaker 1CH alarm input and 1CH alarm output DC12V/PoE power supply Support three streams</p>	
2	TD-9421S3L(D/PE/AR1)	ریال 10,400,000	<p>2MP (1920 × 1080) H.265 coding Max.resolution: 1920 1080 ICR auto switch, true day / night, ROI coding 3D DNR, digital WDR, HLC, BLC, defog 10~20m IR night view distance DC12V/PoE power supply,P2P function optional IP 67 ingress protection,Support dual streams Intelligent analytics (optional): video blur detection, line crossing detection and region intrusion detection</p>	
3	TD-9421S3(D/PE/AR2)	ریال 12,600,000	<p>2MP (1920 × 1080) H.265 coding Max.resolution: 1920 × 1080 ICR auto switch, true day / night, ROI coding 3D DNR, digital WDR, HLC, BLC, Defog 20~30m IR night view distance 1CH audio input; Hardware reset Built-in micro SD card slot, up to 128GB IP 67 ingress protection,Support dual streams Intelligent analytics (optional):video blur detection,line crossing detection and region intrusion detection</p>	




ردیف	پارت نامبر	قیمت	شرح ویژگی	تصویر محصول
4	TD-9422S3(D/PE/AR3)	ریال 13,100,000	<p>2MP (1920 × 1080) H.265 coding Fixed Lens 2.8mm,3.6mm,6mm Max.resolution: 1920 × 1080 ICR auto switch, true day / night, ROI coding 3D DNR, digital WDR, HLC, BLC, Defog 30~50m IR night view distance 1CH audio input; Hardware reset Built-in micro SD card slot, up to 128GB IP 67 ingress protection,Support dual streams Intelligent analytics (optional): video blur detection, line crossing detection and region intrusion detection</p>	
5	TD-9524S3L(D/PE/AR1)	ریال 10,400,000	<p>2MP (1920 × 1080) H.265 coding Max.resolution: 1920 1080 ICR auto switch, true day / night, ROI coding 3D DNR, digital WDR, HLC, BLC, defog 10~20m IR night view distance PoE power supply (optional),1CH built-in MIC P2P function optional,IP 67 ingress protection Support dual streams Intelligent analytics (optional): video blur detection, line crossing detection and region intrusion detection</p>	
6	TD-9524S3(D/PE/AR2)	ریال 13,100,000	<p>2MP (1920 × 1080) H.265 full real time coding Max. resolution: 1920 × 1080 ICR auto switch, true day / night 20 ~ 30m IR night view distance 3D DNR, digital WDR, HLC, BLC and ROI coding 1CH built-in MIC , Hardware reset Built-in micro SD card slot, up to 128GB,DC12V/PoE power supply IP67 ingress protection,Support dual streams Intelligent analytics (optional): video blur detection, line crossing detection and region intrusion detection</p>	


ردیف	پارت نامبر	قیمت	شرح ویژگی	تصویر محصول
7	TD-9441S3L(D/PE/AR1)	ریال 16,800,000	<p>4MP (2560 × 1440) H.265 coding Max.resolution: 2560 × 1440 ICR auto switch, true day / night, ROI coding 3D DNR, digital WDR, HLC, BLC, defog 10~20m IR night view distance DC12V/PoE power supply P2P function optional IP 67 ingress protection Support three streams Intelligent analytics: object removal detection, abnormal video signal detection, line crossing detection and region intrusion detection</p>	
8	TD-9441E3(D/PE/AR2)	ریال 25,500,000	<p>4MP (2592 × 1520) H.265 full real time coding Max. resolution: 2592 × 1520 ICR auto switch, true day / night 20 ~ 30m IR night view distance 3D DNR, true WDR, HLC, BLC, Defog, Smart IR and ROI coding Built-in micro SD card slot, up to 128GB 1CH audio input IP67ingress protection Support three streams ,P2P function optional</p>	
9	TD-9544S3L(D/PE/AR1)	ریال 16,200,000	<p>4MP (2560 × 1440) H.265 coding Max.resolution: 2560 × 1440 , ICR auto switch, true day / night, ROI coding 3D DNR, digital WDR, HLC, BLC, defog 10~20m IR night view distance , PoE power supply (optional) 1CH built-in MIC , P2P function optional IP 67 ingress protection , Support three streams</p>	

تصوير محصول	شرح ویژگی	قیمت	پارت نامبر	ردیف
	<p>4MP (2592 × 1520) H.265 full real time coding Max. resolution: 2592 × 1520 ICR auto switch, true day / night 20 ~ 30m IR night view distance 3D DNR, true WDR, HLC, BLC, Defog, Smart IR and ROI coding Hardware reset,Built-in micro SD card slot,up to 128GB,1CH audio input; 1 CH built-in MIC DC12V/PoE power supply IP67 ingress protection</p>	<p>ريال 23,100,000</p>	<p>TD-9544E3(D/PE/AR2)</p>	<p>10</p>
	<p>Starlight 1/2.8" 2MP CMOS Up to 1920 × 1080 resolution Support H.265/H.264/MJPEG video compression Support True WDR/HLC/BLC/3D DNR/Defog Support Smart Event:Object Removal Detection, Intrusion Detection, Line Crossing Detection, People Intrusion and People Counting Built-in micro SD card slot Support Privacy Mask,Smart IR with distance to 150m IP66</p>	<p>ريال 120,000,000</p>	<p>TD-8523IE(20M/AR15)</p>	<p>11</p>
	<p>Support 4 CH 6MP/5MP/4MP/3MP/1080P/1280×1024/960P/720P/960H/DI/CIF IP video input , Adopt standard H.265 and H.264 high profile compression format , Multi-mode recording: manual / timer / motion / sensor/smart events , Playback : 4 /8CH simultaneous playback Search : time slice, time, event, tag, smart search Support multiple VCA (Video Content Analytics) events, such as object abandoned/missing, region intrusion, tripwire, video tampering,etc. Remote control via Web Client or CMS : preview, playback, backup, PTZ and configuration 1080P HD output</p>	<p>-</p>	<p>TD-3104B1</p>	<p>12</p>

تصوير محصول	شرح ویژگی	قیمت	پارت نامبر	ردیف
	<p>Support 4 CH 8MP/6MP/5MP/4MP/3MP/1080P/1280×1024/960P/720P/960H/DI/CIF IP input Adopt standard H.265 and H.264 high profile compression format to get high-quality video at much lower bit rate Multi-mode recording: manual / timer / motion / sensor/smart events Playback : 4 /8CH simultaneous playback Support multiple VCA (Video Content Analytics) events, such as object abandoned/missing, region intrusion, tripwire, video tampering, etc. 4K output</p>	<p>ریال 16,000,000</p>	<p>TD-3104B1H</p>	<p>13</p>
	<p>Support 4 CH 8MP/6MP/5MP/4MP/3MP/1080P/1280×1024/ 960P/720P/960H/DI/CIF IP video input Adopt standard H.265 and H.264 high profile compression format to get high-quality video at much lower bit rate Multi-mode recording: manual / timer / motion / sensor / smart events Playback : 4 CH simultaneous playback 4/8 PoE network ports; IPC can be directly connected to NVR; PoE power supply supported , 4K output</p>	<p>ریال 28,000,000</p>	<p>TD-3104B1H-4P</p>	<p>14</p>
	<p>Support 8 CH 6MP/5MP/4MP/3MP/1080P/1280×1024/960P/720P/960H/DI/CIF IP video input , Adopt standard H.265 and H.264 high profile compression format , Multi-mode recording: manual / timer / motion / sensor/smart events , Playback : 4 /8CH simultaneous playback Search : time slice, time, event, tag, smart search Support multiple VCA (Video Content Analytics) events, such as object abandoned/missing, region intrusion, tripwire, video tampering,etc. 1080P HD output</p>	<p>ریال 16,500,000</p>	<p>TD-3108B1</p>	<p>15</p>

		شرح ویژگی	قیمت	پارت نامبر	ردیف
		<p>Support 8 CH 8MP/6MP/5MP/4MP/3MP/1080P/1280×1024/960P/720P/960H/DI/CIF IP input Adopt standard H.265 and H.264 high profile compression format to get high-quality video at much lower bit rate Multi-mode recording: manual / timer / motion / sensor/smart events Playback : 8CH simultaneous playback Support multiple VCA (Video Content Analytics) events, such as object abandoned/missing, region intrusion, tripwire, video tampering, etc. Remote control via Web Client or CMS : preview, playback, backup, PTZ and configuration , 4K output</p>	ریال 19,500,000	TD-3108B1H	16
		<p>Supports 8 CH 8MP/6MP/5MP/4MP/3MP/1080P/1280×1024/960P/720P/960H/DI/CIF IP video input Standard H.265 and H.264 high profile compression format to get high-quality video at much lower bit rate Playback : 8CH simultaneous playback Supports multiple VCA (Video Content Analytics) events, such as object abandoned/missing, region intrusion, tripwire, video tampering, etc. 8 PoE network ports; IPCs can be directly connected to NVR; PoE power supply supported , 4K output</p>	ریال 43,000,000	TD-3108B2H-8P	17
		<p>Support 16 CH 6MP/5MP/4MP/3MP/1080P/1280×1024/960P/720P/960H/DI/CIF IP video input , Adopt standard H.265 and H.264 high profile compression format , Multi-mode recording: manual / timer / motion / sensor/smart events , Playback : 4 /8CH simultaneous playback Search : time slice, time, event, tag, smart search Support multiple VCA (Video Content Analytics) events, such as object abandoned/missing, region intrusion, tripwire, video tampering,etc. 1080P HD output</p>	ریال 23,100,000	TD-3116B1	18

تصوير محصول	شرح ویژگی	قیمت	پارت نامبر	ردیف
	<p>Support 16CH 8MP/6MP/5MP/4MP/3MP/1080P/1280×1024/ 960P/720P/960H/DI/CIF IP video input Adopt standard H.265 and H.264 high profile compression format to get high-quality video at much lower bit rate Support multiple VCA (Video Content Analytics) events, such as object abandoned/missing, region intrusion, tripwire, video tampering, etc. Playback : 16CH simultaneous playback 4K ultra high resolution output</p>	<p>ريال 27,300,000</p>	<p>TD-3116B2</p>	<p>19</p>
	<p>Support 32CH 8MP/6MP/5MP/4MP/3MP/1080P/1280×1024/ 960P/720P/960H/DI/CIF IP video input Adopt standard H.265 and H.264 high profile compression format to get high-quality video at much lower bit rate Support multiple VCA (Video Content Analytics) events, such as object abandoned/missing, region intrusion, tripwire, video tampering, etc. Support POS information overlay on live view and playback Playback : 16CH simultaneous playback 4K ultra high resolution output</p>	<p>ريال 51,000,000</p>	<p>TD-3132B2</p>	<p>20</p>
	<p>Support 32 CH 8MP / 5MP / 4MP / 3MP / 1080P / 960P / 720P IP input Adopt standard H.265 and H.264 high profile compression format to get high-quality video at much lower bit rate Intuitive and user-friendly Graphic User Interface (GUI), Windows style operation by mouse Multi-mode recording: manual / timer / motion / sensor Playback : 16 CH simultaneous playback 4K output</p>	<p>ريال 62,900,000</p>	<p>TD-3132B4</p>	<p>21</p>

تصویر محصول	شرح ویژگی	قیمت	پارت نامبر	ردیف
	<p>Supports 32 CH 8MP / 6MP / 5MP / 4MP / 3MP / 1080P / 1280 × 1024 / 960P / 720P / 960H / D1 / CIF IP video input Standard H.265 high profile compression format Playback : 16 CH simultaneous playback Supports multiple VCA (Video Content Analytics) events, such as object abandoned/missing, region intrusion, tripwire, video tampering, etc. 16 PoE network ports; PoE power supply supported 4K output</p>	<p>ریال 93,000,000</p>	<p>TD-3332H4-16P-A1</p>	<p>22</p>

دفتر مرکزی: 44184852 - 44186518 - 44185078

<http://naikel.ir>

<http://telegram.me/naikelcctv>