

























ردیف	پارت نامبر	قیمت	شرح ویژگی	تصویر محصول
۱	<a href="#">DS-2CE16C0T-IRP</a>	ریال ۵,۱۳۰,۰۰۰	1 MP Fixed Mini Bullet Camera HD 720p bullet camera Smart IR: up to 20 m IR distance Water and dust resistant (IP66);	
۲	<a href="#">DS-2CE16D0T-IF</a>	ریال ۶,۲۴۰,۰۰۰	2 megapixel high performance CMOS Analog HD output, up to 1080 1080p resolution Day/Night switch Smart IR Up to 20 m IR distance Switchable TVI /AHD /CVICVI/CVBS IP66	
۳	<a href="#">DS-2CE16D0T-VFIR3F</a>	ریال ۱۶,۸۴۰,۰۰۰	2 MP vari-focal PoC bullet camera Smart IR: up to 40 m IR distance Water and dust resistant (IP66) Transmits both HD video and power over the same coaxial cable;	
۴	<a href="#">DS-2CE16H0T-IT1F</a>	ریال ۱۲,۸۴۰,۰۰۰	5 MP bullet camera EXIR 2.0: advanced infrared technology with 20 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS);	





تصوير محصول	شرح ويزگی	قيمت	پارت نامبر	ردیف
	<p>5 MP bullet camera EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS);</p>	<p>ريال ۱۳,۸۶۰,۰۰۰</p>	<p><a href="#">DS-2CE16H0T-IT3F</a></p>	<p>۵</p>
	<p>5 MP bullet camera 2.7-13.5 mm motorized vari-focal lens EXIR 2.0: advanced infrared technology with 40 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS);</p>	<p>ريال ۲۳,۹۱۰,۰۰۰</p>	<p><a href="#">DS-2CE16H0T-IT3ZF</a></p>	<p>۶</p>
	<p>5 MP bullet camera EXIR 2.0: advanced infrared technology with 20 m IR distance Water and dust resistant (IP67) 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS);</p>	<p>ريال ۱۱,۷۷۰,۰۰۰</p>	<p><a href="#">DS-2CE16H0T-ITF</a></p>	<p>۷</p>
	<p>8 MP high performance bullet camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 120 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 60 m IR distance Water and dust resistant (IP67) Dual outputs (HDTV and CVBS signals output simultaneously);</p>	<p>ريال ۴۱,۵۷۰,۰۰۰</p>	<p><a href="#">DS-2CE18U8T-IT3</a></p>	<p>۸</p>





تصویر محصول	شرح ویژگی	قیمت	پارت نامبر	ردیف
	<p>2 MP turret camera Smart IR: up to 20 m IR distance 4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>ریال ۵,۰۶۰,۰۰۰</p>	<p><a href="#">DS-2CE56D0T-IPF</a></p>	<p>۹</p>
	<p>2 megapixel high performance CMOS Analog HD output, up to 1080p resolution Day/Night switch Smart IR Up to 40 m IR distance Switchable TVI/AHD/CVI/CVBS IP66</p>	<p>ریال ۱۶,۸۴۰,۰۰۰</p>	<p><a href="#">DS-2CE56D0T-VFIR3F</a></p>	<p>۱۰</p>
	<p>2 MP high performance turret camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) Transmits both HD video and power over the same coaxial cable;</p>	<p>ریال ۱۴,۵۵۰,۰۰۰</p>	<p><a href="#">DS-2CE56D8T-IT1E</a></p>	<p>۱۱</p>
	<p>2 MP high performance turret camera Strong night performance, capturing images in ultra-low light down to 0.003 lux Clear imaging even against strong back lighting due to 130 dB true WDR technology 3D DNR technology delivers clean and sharp images EXIR 2.0: advanced infrared technology with 30 m IR distance Water and dust resistant (IP67) Transmits both HD video and power over the same coaxial cable</p>	<p>ریال ۱۳,۸۶۰,۰۰۰</p>	<p><a href="#">DS-2CE56D8T-ITME</a></p>	<p>۱۲</p>

تصویر محصول	شرح ویژگی	قیمت	پارت نامبر	ردیف
	<p>3 Megapixel high-performance CMOS                      Analog HD output, up to 3MP resolution                      2.8-12mm motorized vari-focal lens                      True Day/Night                      OSD menu, DNR, Smart IR                      True WDR, up to 120dB                      EXIR technology, up to 40m IR distance                      IP66 weatherproof                      Up the Coax(HIKVISION-C)</p>	<p>ریال ۲۷,۷۲۰,۰۰۰</p>	<p><a href="#">DS-2CE56F7T-IT3Z</a></p>	<p>۱۳</p>
	<p>5 Megapixel high-performance CMOS                      4 in 1 video output (switchable TVI/AHD/CVI/CVBS)                      True Day/Night                      OSD menu, 2D DNR, DWDR                      EXIR technology, up to 20/40m IR distance                      IP67 weatherproof                      2560 x 1944 resolution                      Up the Coax(HIKVISION-C)</p>	<p>ریال ۱۳,۱۷۰,۰۰۰</p>	<p><a href="#">DS-2CE56H0T-IT1F</a></p>	<p>۱۴</p>
	<p>5 Megapixel high-performance CMOS                      4 in 1 video output (switchable TVI/AHD/CVI/CVBS)                      True Day/Night                      OSD menu, 2D DNR, DWDR                      EXIR technology, up to 20/40m IR distance                      IP67 weatherproof                      2560 x 1944 resolution                      Up the Coax(HIKVISION-C)</p>	<p>ریال ۱۳,۵۴۰,۰۰۰</p>	<p><a href="#">DS-2CE56H0T-IT3F</a></p>	<p>۱۵</p>
	<p>5 MP turret camera                      2.7-13.5 mm motorized vari-focal lens                      EXIR 2.0: advanced infrared technology with 40 m IR distance                      Water and dust resistant (IP67)                      4 in 1 (4 signals switchable TVI/AHD/CVI/CVBS)</p>	<p>ریال ۲۳,۵۶۰,۰۰۰</p>	<p><a href="#">DS-2CE56H0T-IT3ZF</a></p>	<p>۱۶</p>




تصویر محصول	شرح ویژگی	قیمت	پارت نامبر	ردیف
	<p>5 Megapixel high-performance CMOS                      Analog HD output, up to 5MP resolution                      True Day/Night                      OSD menu, DNR, Smart IR                      EXIR technology, up to 20/40m IR distance                      IP67 weatherproof                      PoC.af                      Up the Coax(HIKVISION-C)</p>	<p>ریال ۱۶,۶۳۰,۰۰۰</p>	<p><a href="#">DS-2CE56H1T-IT1E</a></p>	<p>۱۷</p>
	<p>8.29 MP high performance CMOS                      Ultra-low light                      3840 × 2160 resolution                      2.8 mm, 3.6 mm, 6 mm fixed focal lens                      120 dB true WDR, 3D DNR                      EXIR 2.0, smart IR, up to 60 m IR distance                      IP67                      Up the coax (HIKVISION-C)</p>	<p>ریال ۳۹,۴۹۰,۰۰۰</p>	<p><a href="#">DS-2CE78U8T-IT3</a></p>	<p>۱۸</p>
	<p>Support H.265 Pro+/H.265 Pro/H.265 video compression                      Support HDTV/ AHD/CVI/CVBS/IP video input                      Max. 6 IP cameras input (up to 6 MP)                      Up to 10 TB capacity per HDD</p>	<p>ریال ۲۲,۱۸۰,۰۰۰</p>	<p><a href="#">DS-7204HQHI-K1</a></p>	<p>۱۹</p>
	<p>4 channels and 1 HDD 1U DVR                      Efficient H.265 pro+ compression technology                      Encoding ability up to 5 MP @ 12 fps                      5 signals input adaptively (HDTV/ AHD/CVI/CVBS/IP)                      Up to 8 network cameras can be connected                      Transmits both HDTV video and power over the same coaxial cable</p>	<p>ریال ۳۹,۲۱۰,۰۰۰</p>	<p><a href="#">DS-7204HUHI-K1/P</a></p>	<p>۲۰</p>

تصویر محصول	شرح ویژگی	قیمت	پارت نامبر	ردیف
	<p>Support H.265 Pro+/H.265 Pro/H.265 video compression                      Support HDTV/AHD/CVI/AVBS/IP video input                      Audio via coaxial cable                      Max. 8 IP cameras input (up to 8 PM)                      Max. 800 m for 1080p and 1200 m for 720p HDTV signal transmission                      Up to 10 TB capacity per HDD</p>	<p>ریال ۴۱,۵۷۰,۰۰۰</p>	<p><a href="#">DS-7204HTHI-K1</a></p>	<p>۲۱</p>
	<p>8 channels and 1 HDD 1U DVR                      H.264+ / H.264 video compression                      Encoding ability up to 1080p lite @ 12 fps                      5 signals input adaptively (HDTV/AHD/CVI/AVBS/IP)                      Up to 10 network cameras can be connected</p>	<p>ریال ۲۶,۲۰۰,۰۰۰</p>	<p><a href="#">DS-7208HGHI-F1</a></p>	<p>۲۲</p>
	<p>8 channels and 1 HDD mini size DVR                      Efficient H.265 pro+ compression technology                      Encoding ability up to 1080p @ 15 fps                      5 signals input adaptively (HDTV/AHD/CVI/AVBS/IP)                      Up to 12 network cameras can be connected</p>	<p><b>CALL</b></p>	<p><a href="#">DS-7108HQHI-K1</a></p>	<p>۲۳</p>
	<p>8 channels and 1 HDD 260 case DVR                      Efficient H.265 pro+ compression technology                      Encoding ability up to 1080p @ 15 fps                      5 signals input adaptively (HDTV/AHD/CVI/AVBS/IP)                      Up to 12 network cameras can be connected.</p>	<p>ریال ۳۳,۴۵۰,۰۰۰</p>	<p><a href="#">DS-7208HQHI-K1</a></p>	<p>۲۴</p>

تصویر محصول	شرح ویژگی	قیمت	پارت نامبر	ردیف
	<p>8 channels and 2 HDDs 1U DVR                      Efficient H.265 pro+ compression technology                      Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps                      5 signals input adaptively (HDTV/ AHD/ CVI/ CVBS/ IP)                      Up to 16 network cameras can be connected                      Transmits both HDTV video and power over the same coaxial cable</p>	<p>ریال ۷۳,۱۴۰,۰۰۰</p>	<p><a href="#">DS-7208HUHI-K2/P</a></p>	<p>۲۵</p>
	<p>4 channels and 2 HDDs 1U DVR                      Efficient H.265 pro+ compression technology                      Encoding ability up to 8 MP @ 12 fps                      5 signals input adaptively (HDTV/ AHD/ CVI/ CVBS/ IP)                      Up to 16 network cameras can be connected</p>	<p>ریال ۸۰,۸۳۰,۰۰۰</p>	<p><a href="#">DS-7208HTHI-K2</a></p>	<p>۲۶</p>
	<p>Support H.265 Pro+/H.265 Pro/H.265 video compression                      Support HDTV/ AHD/ CVI/ CVBS/ IP video input                      Audio via coaxial cable                      Max. 6/12/24 IP cameras input (up to 6 MP)                      Max. 800 m for 1080p and 1200 m for 720p HDTV signal transmission                      Up to 6TB capacity per HDD</p>	<p>ریال ۴۸,۹۴۰,۰۰۰</p>	<p><a href="#">DS-7116HQHI-K1</a></p>	<p>۲۷</p>
	<p>16 channels and 1 HDD 1U DVR                      Efficient H.265 pro+ compression technology                      Encoding ability up to 1080p lite @ 15 fps                      5 signals input adaptively (HDTV/ AHD/ CVI/ CVBS/ IP)                      Up to 18 network cameras can be connected.</p>	<p>ریال ۳۲,۳۶۰,۰۰۰</p>	<p><a href="#">DS-7216HGHI-K1</a></p>	<p>۲۸</p>

تصویر محصول	شرح ویژگی	قیمت	پارت نامبر	ردیف
	<p>16 channels and 1 HDD 1U DVR                      Efficient H.265 pro+ compression technology                      Encoding ability up to 1080p @ 15 fps                      5 signals input adaptively (HDTV/ AHD/ CVI/ CVBS/ IP)                      Up to 24 network cameras can be connected</p>	<p>ریال ۵۷,۳۸۰,۰۰۰</p>	<p><a href="#">DS-7216HQHI-K1</a></p>	<p>۲۹</p>
	<p>16 channels and 2 HDDs 1U DVR                      Efficient H.265 pro+ compression technology                      Encoding ability up to 8 MP @ 8 fps, 5 MP @ 12 fps                      5 signals input adaptively (HDTV/ AHD/ CVI/ CVBS/ IP)                      Up to 32 network cameras can be connected</p>	<p>ریال ۱۰۱,۷۴۰,۰۰۰</p>	<p><a href="#">DS-7216HUHI-K2</a></p>	<p>۳۰</p>
	<p>32 channels and 2 HDDs 1U DVR                      Efficient H.265 pro+ compression technology                      Encoding ability up to 1080p @ 15 fps                      5 signals input adaptively (HDTV/ AHD/ CVI/ CVBS/ IP)                      Up to 40 network cameras can be connected</p>	<p>ریال ۱۱۰,۵۴۰,۰۰۰</p>	<p><a href="#">DS-7232HQHI-K2</a></p>	<p>۳۱</p>
	<p>Wall Mount                      Aluminum alloy                      Hikvision White</p>	<p>ریال ۵,۷۰۰,۰۰۰</p>	<p>DS-1602ZJ</p>	<p>۳۲</p>



تصویر محصول	شرح ویژگی	قیمت	پارت نامبر	ردیف
	Pendent Mount Aluminum Alloy Hikvision White	ریال ۶,۲۴۰,۰۰۰	DS-1661ZJ	۳۳
	Pendent Mount (50cm) Aluminum Alloy Hikvision White	ریال ۷,۱۶۰,۰۰۰	DS-1662ZJ	۳۴
	Colour: White Size : 176.8*194*419.5mm Weight:1 kg Material: Aluminium Alloy	ریال ۲,۰۸۰,۰۰۰	DS-1681ZJ	۳۵

دفتر مرکزی: 44184852 - 44186518 - 44185078

<http://naikel.ir>

<http://telegram.me/naikelcctv>